B. Suggested Form for Notice of Intent (NOI) for the Remediation General Permit

a) Name of facility/site: FORMER ALLIED LEATHER TANNERY		Facility/site address:				
Location of facility/site: longitude:latitude:	Facility SIC code(s): 3110	Street: 35 East St.				
b) Name of facility/site owner: City of Concord,	Community Development	Town: Penacook Villag	ge, Concord			
Email address of owner: mwalsh@onconcord.com		State:	Zip: 03303			
Telephone no.of facility/site owner: (603) 225-85	95			_		
Fax no. of facility/site owner: (603) 228-270 Address of owner (if different from site):	01	Owner is (check one): 1 3. Private 4. other	e): 1. Federal 2. State/Tribal other, if so, describe:			
Street: 41 Green Street						
Town: Concord	State: NH	Zip: 03301	County: Merrim	ack		
c) Legal name of operator: Wilcox & Barton, Inc	Operator tel	ephone no: (603) 715-1647			_	
	Operator fa	(no.: (603) 715-1647	Operator email: rbarton@wilcoxandbarton.com			
Operator contact name and title: Russell W. Barto	n, Principal					

Address of opera	ator (if different f	rom owner):	Street: 57 Ho	on Rd						
Тоwи: Сопсон			State: NH	Zip: 03301	County:	Merrimack				
Has a prior NF Has a prior NF	DES application	ision been granted for the discharge Form 1 & 2C) ever been filed for	scharge? Yes No, if "yes," number: #NH-051-001 ad for the discharge? Yes No, if "yes," date and tracking #: April 2005 2? Yes No a MA Contingency Plan (MCP) and exempt from state permitting? Yes No							
generation of dis If "yes," please I I, site identificat 2, permit or licen 3, state agency of	charge? Yes ist: ion # assigned by ise # assigned: ontact information	f) Is the site/facility covered by any other EPA permit, including: 1. multi-sector storm water general permit? Y N , if Y, number: 2. phase 1 or II construction storm water general permit? Y N , if Y, number: 3. individual NPDES permit? Y N , if Y, number: 4. any other water quality related permit? Y N , if Y, number:								
		se provide information about the d			is needed) including	:				
Dewatering fo	or purposes of und	for which the owner/applicant is seground storage tank removal and and carbon filtration.			Contoocook River ad	ljacent to project site will follow treatment				
b) Provide the following information about each discharge: 3) Latitude and leath 4: long.	Number of discharge points: ongitude of each distance in the second control of	For average flow, include the un Dewatering system is designed	eximum flow a de its and appropriate to extract ground at may continue	esign value? Y V N te notation if this value water at a rate of 0.1 operation beyond wor	ue is a design value of f cfs (50 gpm) during rking hours. Attenua	or estimate if not available. g working hours. Treatment system is tion/storage provided by frac tank.				
pt.4:long	lat; pt.5:	longlat; pt.6:long		; pt.7: long	_ lat,; pt.8:10	ng lat; etc.				

1
ì

4) If hydrostatic testing, total volume of the discharge (gals):	5) Is the discharge intermittent or seasonal ? Is discharge ongoing Yes No ?	
c) Expected dates of discharge (mm/dd/yy): start 12/19/05	end 03/31/06	
d) Please attach a line drawing or flow schematic showing water 1. sources of intake water, 2. contributing flow from the operation	flow through the facility including: on, 3. treatment units, and 4. discharge points and receiving waters((s).

3. Contaminant information. In order to complete this section, the applicant will need to take a minimum of one sample of the untreated water and have it analyzed for all of the parameters listed in Appendix III. Historical data, (i.e., data taken no more than 2 years prior to the effective date of the permit) may be used if obtained pursuant to: i. Massachusetts' regulations 310 CMR 40.0000, the Massachusetts Contingency Plan ("Chapter 21E"); ii. New Hampshire's Title 50 RSA 485-A: Water Pollution and Waste Disposal or Title 50 RSA 485-C: Groundwater Protection Act; or iii. an EPA permit exclusion letter issued pursuant to 40 CFR 122.3, provided the data was analyzed with test methods that meet the requirements of this permit. Otherwise, a new sample shall be taken and analyzed.

a) Based on the analysis of the sample(s) of the untreated influent, the applicant must check the box of the sub-categories that the potential discharge falls within.

Gasoline Only	VOC Only	Primarily Metals	Urban Fill Sites	Contaminated Sumps	Mixed Contaminants	Aquifer Testing
Fuel Oils (and Other Oils) only	VOC with Other Contaminants	Petroleum with Other Contaminants	Listed Contaminated Sites	Contaminated Dredge Condensates	Hydrostatic Testing of Pipelines/Tanks	Well Development or Rehabilitation

b) Based on the analysis of the untreated influent, the applicant must indicate whether each listed chemical is believed present or believed absent in the potential discharge. Attach additional sheets as needed.

PARAMETER	Believe Absent	Believe Present	# of Samples	Type of Sample	Analytical Minimum Method Level (ML) of		Maximum daily value		Avg. daily valu	e
	Apsent	Trooth	(I min- imum)	(e.g., grab)	Used (method #)	Test Method	concentration (ug/l)	mass (kg)	concentration (ag/I)	mass (kg)
1. Total Suspended Solids	~									
2. Total Residual Chlorine	V									
3. Total Petroleum Hydrocarbons		~								
4. Cyanide	V									
5. Benzene		V	6	grab	8260	1.0	12.1	1.6e-3	12.1	1.1e-3
6. Toluene		V	б	grab	8260	1.0	35.3	8.3e-3	35.3	5.6e-3
7. Ethylbenzene		V	б	Basp	8260	1.0	20.9	2.9⊳-3	20.9	1.9e-3
8. (m,p,o) Xylenes		V	6	grab	8260	3.0	22.5	3.1e-3	22.5	2.0e-3
9. Total BTEX4		V	6	grab	8260	1.0	90.8	1.2e-2	90.8	8.2e-3

⁴BTEX = Sum of Benzene, Toluene, Ethylbenzene, total Xylenes.

\vdash
∞
α
V.
4
Œ
σ
Ā
_
_
4
ά
۰.

PARAMETER	Believe Absent	Believe Present	# of Samples	Type of Sample (e.g.,	Analytical Method	Minimum Level (ML) of	Maximum daily	value	Avg. daily valu	ė
	10000		(1 min- imva)	grab)	Used (method #)	Test Method	concentration (ng/l)	mass (kg)	concentration (ug/l)	1
10. Ethylene Dibromide (1,2- Dibromo-methane)	~									
11. Methyl-tert-Butyl Ether (MtBE)		V	6	grab	8260	1.0	5.0	6.80-4	5.0	4.50-4
12. tert-Butyl Alcohol (TBA)	~	_								
13. tert-Amyl Methyl Ether (TAME)	~									
14. Naphthalene		V		grab	8260	1.0	3.6	4.9e-4	3.6	3.36-4
15. Carbon Tetra- chloride	v									
16. 1,4 Dichlorobenzenc	V									
17. 1,2 Dichlorobenzene	V									
18. 1,3 Dichlorobenzene	V									
19. 1,1 Dichloroethane	V						!	Ţ		
20. 1,2 Dichloroethane	V									
21. 1,1 Dichloroethylene	V									
22. cis-1,2 Dichloro- ethylene		~		graò	8260	1.0	2.1	2.9e-4	2.1	1.9e-4
23. Dichloromethane (Methylene Chloride)	V									
24. Tetrachloroethylene		V		grab	8260	1.0	1.3	1.8e-4	1.3	1.4e-4

Į
ř

PARAMETER	Believe Absent	Believe Present	# of Samples	Type of Sample (e.g.,	Analytical Method Used	Minimum Level (ML) of Test	Maximum daily	value	Avg. daily Value	e
			(1 min- imuro)	grab)	(method #)	Method	concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
25. 1,1,1 Trichloroethane	V									
26. 1,1,2 Trichloroethane	V									
27. Trichloroethylene	~									}
28. Vinyl Chloride	V									
29. Acetone	~									
30. 1,4 Dioxane	~									
31. Total Phenols	~									
32. Pentachlorophenol	~									
33. Total Phthalates ⁵ (Phthalate estbers)	~									
34. Bis (2-Ethylbexyl) Phthalate [Di- (ethylhexyl) Phthalate]	V									
35. Total Group l Polycyclic Aromatic Hydrocarbons (PAH)	V									
a. Benzo(a) Anthracene	~	i -								
b. Benzo(a) Pyrene	~									
c. Benzo(b)Fluoranthene	V									
d. Benzo(k) Fluoranthene	~		-]
e. Chrysene	V		T	T						

The sum of individual phthalate compounds.

		٠	
T1	T		
	ı		
_	÷		
	Ш	ч	
	_	ı	

PARAMETER	Believe Absent	Believe Present	# of Samples	Type of Sample (e.g.,	Analytical Method Used	Minimum Level (MIL) of	Maximum daily	value	Average daily v	alue
	. 100011		(1 min- imum)	græb)	(method #)	Test Method	concentration (ug/l)	mass (kg)	concentration (ug/l)	mass (kg)
f. Dibenzo(a,b) anthracene	V									
g. ludeno(1,2,3-cd) Pyrene	~									
36. Total Group II Polycyclic Aromatic Hydrocarbons (PAH)		•	6	grab	8270	5.0	21.0	2.9e-3	· 21.D	1.9в-3
h. Acenaphthene	~									
i. Acenaphthylene	V									
j. Authracene	V									
k. Benzo(ghi) Perylene	V									
l, Fluoranthene		~	6	grab	8270	5.0	5.61	7.6e-4	5.61	5.1e-4
m. Flaorene	~									
n. Naphthalene-		V	6	grap	8260	1.0	3.6	4.96-4	3.6	3.3¢-4
o. Phenanthrene		V_	б	grab	8270	5.0	12.2	1.7e-3	12.2	1.1e-3
p. Pyrene										
37. Total Polychlorinated Biphenyls (PCBs)	V									
38. Antimony	V									
39. Arsenic	V									
40. Cadmium	V									
41. Chromium IR		V	6	grab	200.7	5	681	9.3≎-2	681	6.2e-2
42. Chrominm VI	V									

N
4
Œ
σ
4
~
4
Ó

c) For discharges where metals are believed present, please fill out the following:	
Step 1: Do any of the metals in the influent have a reasonable potential to exceed the effluent limits in Appendix III (i.e., the limits set at zero to five dilutions)? Y N	If yes, which metals? Trivalent chrmomium, Lead
Step 2: For any metals which have reasonable potential to exceed the Appendix III limits, calculate the dilution factor (DF) using the formula in Part I.A.3.c) (step 2) of the NOI instructions or as determined by the State prior to the submission of this NOI. What is the dilution factor for applicable metals? Metals: Trivalent chromium, Lead DF: Stop Stop	Look up the limit calculated at the corresponding dilution factor in Appendix IV. Do any of the metals in the influent have the potential to exceed the corresponding effluent limits in Appendix IV (i.e., is the influent concentration above the limit set at the calculated dilution factor)? Y_V_N If "Yes," list which metals: Lead

Maximum daily value

concentration

(ug/l)

63.7

mass (kg)

8.7e-3

Avg. daily value

concentration

(ug/l)

63.7

mass (kg)

5.8e-3

PARAMETER

43. Copper

45. Mercury 46. Nickel

47. Selenium

48. Silver 49. Zinc

50. Iron

Other (describe):

44. Lead

of

Samples

(1 min-

immm)

ļ

Believe

Absent

V

V

Believe

Present

V

Type of

grab)

grab

Sample (e.g.,

Analytical

(method #)

Method

Used

200.7

Minimum

3.8

Level (ML) of

Test Method

4. Treatment system informs	tion. Please des	cribe the treatm	ent system using sepa	rate sheets as necess	ary, including:			
a) A description of the treatm						<u> </u>		
See attached Figure 2 for a set to provide a minimum esiden housings, followed by two 75 effluent sample ports will be	chematic of the tr ce time of 12 ho i0-lb granular act	reatment train. It urs for settling of tivated carbon ca	Extracted groundwater of sediments in the fra- anisters in series. Fin	r will be routed to a c tank. The treatment al polishing will be	20,000-gallon fractions nt train will consist of opposited by a 1-micror	dual 25-micron filter	bags in pressure	
b) Identify each applicable treatment unit (check all	Frac. tank	Air stripper	Oil/water se	parator	Equalization tanks	Bag filter	GAC filter	
that apply):				<u></u>				
	Chlorination	Dechlorinati			and 1-micron bag filter	rs.		
c) Proposed average and man Average flow rate of discharge	c) Proposed average and maximum flow rates (gallons per minute) for the discharge and the design flow rate(s) (gallons per minute) of the treatment system: Average flow rate of discharge 50 gpm Maximum flow rate of treatment system 75 gpm Design flow rate of treatment system 75 gpm							
d) A description of chemical additives being used or planned to be used (attach MSDS sheets):								
None planned. GAC is expect concentration to within accep	ted to be adequa table diacharge li	te to address all imits. Carbon h	organic contaminants as also been shown to	. Fine particulate fi have moderate to h	igh affinity for chromin	is are expected to red um.	uce the total metals	
5. Receiving surface water(s).	Please provide	information abo	ut the receiving water	(s), using separate s	heets as necessary:			
a) Identify the discharge path	way:	Direct <u>/</u>	Within facility	Storm drain	River/brook	Wetlands	Other (describe):	
b) Provide a parrative descrip	tion of the discha	orge pathway, in	cluding the name(s) o	f the receiving wate	TS:	<u> </u>		
Direct discharge via temporary be less than one week. Reque	y overland pipe/l sted permit dates	nose from treatm s are provided to	nent system to Contoo accomodate construc	cook River, as show tion delays if encou	n on Figure 1. Actual nterd.	project/discharge du	ration is expected to	
					·	<u></u>		

 c) Attach a detailed map(s) indicating the site location and location of the outfall to the receiving water: 1. For multiple discharges, number the discharges sequentially. 2. For indirect dischargers, indicate the location of the discharge to the indirect conveyance and the discharge to surface water The map should also include the location and distance to the nearest sanitary sewer as well as the locus of nearby sensitive receptors (based on USGS topographical mapping), such as surface waters, drinking water supplies, and wetland areas.
d) Provide the state water quality classification of the receiving water,
e) Provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water 94 cfs cfs Please attach any calculation sheets used to support stream flow and dilution calculations.
f) Is the receiving water a listed 303(d) water quality impaired or limited water? γ_{es} No \checkmark If yes, for which pollutant(s)? Per telephone conversation with Greg Comstock, Contoocook River is not impaired at this location. Is there a TMDL? γ_{es} No \checkmark If yes, for which pollutant(s)?
6. Results of Consultation with Federal Services: Please provide the following information according to requirements of Part I.B.4 and Appendices II and VII.
a) Are any listed threatened or endangered species, or designated critical habitat, in proximity to the discharge? YesNo
b) Are any historic properties listed or eligible for listing on the National Register of Historic Places located on the facility or site or in proximity to the discharge? YesNo


7. Supplemental information.: Please provide any supplemental information. Attach any analytical data used to support the application. Attach any certification(s) required by the general permit. Attachments Figure 1, Site Plan showing proposed location of treatment system and discharge Figure 2, Treatment Process Flow Diagram Table 1, Groundwater Analytical Results from October 2004 and May 2005 (maximum values from most recent sampling event at each location were used) Table 2, Groundwater Elevation Data

8. Signature Requirements: The Notice of Intent must be signed by the operator in accordance with the signatury requirements of 40 CFR Section 122.22, including the following certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Facility/Site Name: FORMER ALLIED LEATHER TANNERY

Operator signature: Collin Col






						TABLE 1 FORMERALIED LEGINER PENGOON, NE PENGOON, NE	TABLE 1 ALUED LEATHER REINGOCK NH.	FER TAN	TANKERY							
	SD03/						WW-EDE		- ₹	19941		WW.18FE	20 F.297M	1028		
4/0m (maze) = 2/0m	, y		9280	#650E	5073	1020M	SOURCE	10000	900.25	- HOCKOL	200	1	102004	\$0.000 E	1602/0D4	52265
Aericens D. Stiffferrens	, J	0 C	ç ç	Q C	5 :	\$?	0 V	Ç		97	12.1	જ		V	•
Sac-Brityberzene Dichorcule prometans	8 5	÷ (r over	(100°)	2	 5 C	0 0 0	P C	₽₽	3 8	97.5 94.5	\$ 1	<u>.</u>	Ů 5	₹ .	₹
de-12-Dichopaniane	# 5 # 5	7 7) ()	≨≱	ð.	Ş ₹.	6 £	88	8 ද	8 €	3 2	200	02°	8.	3 3 €
		7 7 7	V V .	₹₹	Ž . Z	, 4 4 6 6	€\$	Ç 7	2 t	# S	₽ 0 ₩ ₩	₹.	∮¶÷	9.	- -	⊃ + 0
Edoudos: 4	3 8 s	2 d ,	6 °	? ?	2 2	0 D	Ç 🕏		0 0 V	¥ ;	99	8.0	ر د د د د د د د د د د د د د د د د د د د	e ~ 5	3 4	2 % S
	ž.,	• %	- N	2 G	23	9 1	î f	∞ 0		₽	9.5	-	¢.	Ç	<u>}</u> ~ {	- T
Teleschorcellisme	304		Y 'Y A	รี นี้ เ	≨ \$	2 0,5		00	5. V	B .E	3 :	#	. e .	2 **	- 	ک جر
1,2,4-Trimediaj Serzene		ω V V	V V	64.	\$ \$	4 0 F	2 °	V V	\$ \$	\ Q #	0.0	9.	7	- - - -	## ## ## ## ## ## ## ## ## ## ## ## ##	\$ \$ \$
Total X (Bridge	10.00	5 S	ទី ទី	€ ₹	¥ &	3 %	- Q	78	₹₹	3	2.6	3%	35	3 0 6	0 0 0 V V V	₹ 📆 🤅
2A-1s (\$220) 160.		-								22	TA Y			1	3	7
Phorampare Phoraminiterie	2 BB	22 22	3 3	\$ 46 5	3 4	3.5	3 3	88	5 5	89	4 4	ê û	0.0	5 £	25.08 0.08	9 .5
TOPE TRANSPORTE	5	900 D	*:db0;\$	##1		900 000 0	2	0.0158	28.000	50000	0.6838	0,0548	688	246	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9890
Hazaralban (Strombum regill)	¥	8	1	ьg	≨	6	à	15.0	ž		2 2	PU.	1 5			
To the manuscripe greens,	뿣	3000	77 4	2	1	\$		2000		× 4			i		3	£
			0				YALL YALL YALL YALL YALL YALL YALL YALL	8	\$		5	\$.0548	CL0399	≨	90304	ž
Desolved Chriminalum ngrit	ซ์	5₽	N P	281		5	2	5	500	S	6 0₽	1	g 0-102	#E2010	\$	ē
	8,00	ž	3	2	259010	5		2	2	2	\$	2	ž	2	1	Q Z
]							15 Sec. 1					<u> </u>	H.	

TABLE 2 FORMER ALLIED LEATHER TANNERY PENACOOK, NH

EOS #02-202174 00.06

	Complex Williams The Complete	1044	State of the state	All the second of the second of the second
WELLID	CASING ELEVATION	DEPTH TO WATER	GROUNDWAT	ER ELEVATION
ECS-1	313.54	8.27		5.27
ECS	309.87	441		5.46
_MW-104	305,98	3.17	A	2 81
MW-105	306.47	L 157	36	4.9
MW-15	394.3	2.65	300	2 25
MW-102R	THE PARTY OF THE P	3,08		
MW-108R		2.80		•
The state of the s	The control of the co	And the same of th	Control of the contro	